

HCS163MS

Radiation Hardened Synchronous Presettable Counter

September 1995

Features

- 3 Micron Radiation Hardened CMOS SOS
- · Total Dose 200K RAD (Si)
- SEP Effective LET No Upsets: >100 MEV-cm²/mg
- Single Event Upset (SEU) Immunity < 2 x 10⁻⁹ Errors/Bit-Day (Typ)
- Dose Rate Survivability: >1 x 10¹² RAD (Si)/s
- Dose Rate Upset: >10¹⁰ RAD (Si)/s 20ns Pulse
- · Latch-Up Free Under Any Conditions
- Military Temperature Range: -55°C to +125°C
- · Significant Power Reduction Compared to LSTTL ICs
- DC Operating Voltage Range: 4.5V to 5.5V
- · Input Logic Levels
 - VIL = 30% of VCC
 - VIH = 70% of VCC
- Input Current Levels Ii ≤ 5μA at VOL, VOH

Description


The Harris HCS163MS is a Radiation Hardened synchronous presettable binary counter that features lookahead carry logic for use in high speed counting applications. Counting and parallel load, and presetting are all accomplished synchronously with the positive transition of the clock.

The HCS163MS utilizes advanced CMOS/SOS technology to achieve high-speed operation. This device is a member of radiation hardened, high-speed, CMOS/SOS Logic Family.


The HCS163MS is supplied in a 16 lead Ceramic flatpack (K suffix) or a SBDIP Package (D suffix).

Pinouts

16 LEAD CERAMIC DUAL-IN-LINE METAL SEAL PACKAGE (SBDIP) MIL-STD-1835 CDIP2-T16, LEAD FINISH C TOP VIEW




16 LEAD CERAMIC METAL SEAL FLATPACK PACKAGE (FLATPACK) MIL-STD-1835 CDFP4-F16, LEAD FINISH C TOP VIEW



Ordering Information

PART NUMBER	TEMPERATURE RANGE	SCREENING LEVEL	PACKAGE
HCS163DMSR	-55°C to +125°C	Harris Class S Equivalent	16 Lead SBDIP
HCS163KMSR	-55°C to +125°C	Harris Class S Equivalent	16 Lead Ceramic Flatpack
HCS163D/Sample	+25°C	Sample	16 Lead SBDIP
HCS163K/Sample	+25°C	Sample	16 Lead Ceramic Flatpack
HCS163HMSR	+25°C	Die	Die

Functional Block Diagram



TRUTH TABLE

		INPUTS						OUTPUTS	
OPERATING MODE	MR	CP	PE	TE	SPE	PN	QN	тс	
Reset (clear)	I	_	Х	Х	Х	X	L	L	
Parallel Load	h (Note 3)	\	Х	Х	I	I	L	L	
	h (Note 3)	\	Х	Х	I	h	Н	(Note 1)	
Count	h (Note 3)	\	h	h	h (Note 3)	Х	Count	(Note 1)	
Inhibit	h (Note 3)	Х	I (Note 2)	Х	h (Note 3)	Х	Qn	(Note 1)	
	h (Note 3)	Х	Х	l (Note 2)	h (Note 3)	Х	Qn	L	

H = HIGH Voltage Level

L = LOW Voltage Level

 $h = HIGH \ voltage \ level \ one \ setup \ time \ prior \ to \ the \ LOW-to-HIGH \ clock \ transition$

I = LOW voltage level one setup time prior to the LOW-to-HIGH clock transition

X = Immaterial

q = Lower case letter indicate the state of the referenced output prior to the LOW-to-HIGH clock transition

= LOW-to-HIGH clock transition

- 1. The TC output is HIGH when TE is HIGH and the counter is at terminal count (HLLH for 162 and HHHH for 163)
- 2. The HIGH-to-LOW transition of PE or TE on the 54/74163 and 54/74160 should only occur while CP is high for conventional operation
- 3. The LOW-to-HIGH transition of $\overline{\text{SPE}}$ or $\overline{\text{MR}}$ on the 54/74163 should only occur while CP is high for conventional operation

Absolute Maximum Ratings

Reliability Information

Thermal Resistance SBDIP Package Ceramic Flatpack Package	θ _{JA} 73°C/W 114°C/W	θ _{JC} 24°C/W 29°C/W
Maximum Package Power Dissipation at +125	5℃ Ambien	t
SBDIP Package		0.68W
Ceramic Flatpack Package		0.44W
If device power exceeds package dissipation of	capability, p	rovide heat
sinking or derate linearly at the following rate:		
SBDIP Package	1	3.7mW/°C
Ceramic Flatpack Package		

CAUTION: As with all semiconductors, stress listed under "Absolute Maximum Ratings" may be applied to devices (one at a time) without resulting in permanent damage. This is a stress rating only. Exposure to absolute maximum rating conditions for extended periods may affect device reliability. The conditions listed under "Electrical Performance Characteristics" are the only conditions recommended for satisfactory device operation.

Operating Conditions

Supply Voltage (VCC)	Input Low Voltage (VIL)
Input Rise and Fall Times at 4.5 VCC (TR, TF) 100ns Max	Input High Voltage (VIH) 70% of VCC to VCC
Operating Temperature Range (T _A)55°C to +125°C	

TABLE 1. DC ELECTRICAL PERFORMANCE CHARACTERISTICS

	(NOTE 1)		GROUP A SUB-		LIM	IITS	
PARAMETER	SYMBOL	CONDITIONS	GROUPS	TEMPERATURE	MIN	MAX	UNITS
Supply Current	ICC	VCC = 5.5V, VIN = VCC or GND	1	+25°C	-	40	μΑ
		VIIV = VOO OI GIVD	2, 3	+125°C, -55°C	•	750	μΑ
Output Current (Sink)	IOL	VCC = 4.5V, VIH = 4.5V, VOUT = 0.4V, VIL = 0V,	1	+25°C	4.8	•	mA
(GIIIK)		(Note 2)	2, 3	+125°C, -55°C	4.0	-	mA
Output Current (Source)	ЮН	VCC = 4.5V, VIH = 4.5V, VOUT = VCC - 0.4V,	1	+25°C	-4.8	-	mA
(Source)		VIL = 0V, (Note 2)	2, 3	+125°C, -55°C	-4.0	-	mA
Output Voltage Low	VOL	VCC = 4.5V, VIH = 3.15V, IOL = 50μA, VIL = 1.35V	1, 2, 3	+25°C, +125°C, -55°C	-	0.1	٧
		VCC = 5.5V, VIH = 3.85V, IOL = 50μA, VIL = 1.65V	1, 2, 3	+25°C, +125°C, -55°C	-	0.1	٧
Output Voltage High	VOH	VCC = 4.5V, VIH = 3.15V, IOH = -50μA, VIL = 1.35V	1, 2, 3	+25°C, +125°C, -55°C	VCC -0.1	-	٧
		VCC = 5.5V, VIH = 3.85V, IOH = -50μA, VIL = 1.65V	1, 2, 3	+25°C, +125°C, -55°C	VCC -0.1	-	٧
Input Leakage Current	IIN	VCC = 5.5V, VIN = VCC or GND	1	+25°C	-	±0.5	μΑ
Ourient		GIND	2, 3	+125°C, -55°C	-	±5.0	μΑ
Noise Immunity Functional Test	FN	VCC = 4.5V, VIH = 3.15V, VIL = 1.35V, (Note 3)	7, 8 A , 8B	+25°C, +125°C, -55°C	-	-	-

- 1. All voltages referenced to device GND.
- 2. Force/Measure functions may be interchanged.
- 3. For functional tests, $VO \ge 4.0V$ is recognized as a logic "1", and $VO \le 0.5V$ is recognized as a logic "0".

TABLE 2. AC ELECTRICAL PERFORMANCE CHARACTERISTICS

		(NOTES 1, 2)	GROUP A SUB-		LIM	IITS	
PARAMETER	SYMBOL	CONDITIONS	GROUPS	TEMPERATURE	MIN	MAX	UNITS
Propagation Delay CP to Qn	TPHL, TPLH	VCC = 4.5V	9	+25°C	2	26	ns
or to qu	11 511		10, 11	+125°C, -55°C	2	31	ns
Propagation Delay CP to TC	TPHL, TPLH	VCC = 4.5V	9	+25°C	2	29	ns
01 10 10	11 211		10, 11	+125°C, -55°C	2	34	ns
Propagation Delay TE to TC	TPHL, TPLH	VCC = 4.5V	9	+25°C	2	21	ns
12.010	11 511		10, 11	+125°C, -55°C	2	23	ns

NOTES:

- 1. All voltages referenced to device GND.
- 2. AC measurements assume RL = 500Ω, CL = 50pF, Input TR = TF = 3ns, VIL = GND, VIH = VCC.

TABLE 3. ELECTRICAL PERFORMANCE CHARACTERISTICS

		(NOTE 1)		LIN	IITS	
PARAMETER	SYMBOL	CONDITIONS	TEMPERATURE	MIN	MAX	UNITS
Capacitance Power Dissipation	CPD	VCC = 5.0V, VIH = 5.0V,	+25°C	-	68	рF
		VIL = 0.0V, f = 1MHz	+125°C, -55°C	1 -	83	рF
Input Capacitance	CIN	VCC = 5.0V, VIH = 5.0V,	+25°C	-	10	рF
		VIL = 0.0V, f = 1MHz	+125°C, -55°C	1 -	10	рF
Pulse Width Time CP(L)	TW	VCC = 4.5V, VIH = 4.5V,	+25°C	16	-	ns
		VIL = 0.0V	+125°C, -55°C	24	-	ns
Pulse Width Time MR	TW	VCC = 4.5V, VIH = 4.5V,	+25°C	20		ns
		VIL = 0.0V	+125°C, -55°C	30		ns
Setup Time SPE, Pn to CP	TSU	VCC = 4.5V, VIH = 4.5V, VIL = 0.0V	+25°C	12		ns
			+125°C, -55°C	18		ns
Setup Time PE, TE to CP	TSU	VCC = 4.5V, VIH = 4.5V, VIL = 0.0V	+25°C	10		ns
			+125°C, -55°C	15		ns
Setup Time MR to CP	TSU	VCC = 4.5V, VIH = 4.5V,	+25°C	13		ns
		VIL = 0.0V	+125°C, -55°C	20		ns
Hold Time Pn to CP	TH	VCC = 4.5V, VIH = 4.5V,	+25°C	3	-	ns
		VIL = 0.0V	+125°C, -55°C	3	-	ns
Hold Time TE, PE, SPE to CP	TH	VCC = 4.5V, VIH = 4.5V,	+25°C	0	-	ns
		VIL = 0.0V	+125°C, -55°C	0	-	ns
Removal Time	TREM	VCC = 4.5V, VIH = 4.5V,	+25°C	15	-	ns
MR to CP		VIL = 0.0V	+125°C, -55°C	22	-	ns
Maximum	FMAX	VCC = 4.5V, VIH = 4.5V,	+25°C	30	-	MHz
Frequency		VIL = 0.0V	+125°C, -55°C	24	-	MHz

^{1.} The parameters listed in Table 3 are controlled via design or process parameters. Min and Max Limits are guaranteed but not directly tested. These parameters are characterized upon initial design release and upon design changes which affect these characteristics.

TABLE 4. DC POST RADIATION ELECTRICAL PERFORMANCE CHARACTERISTICS

		(NOTEO 1 0)			RAD	
PARAMETER	SYMBOL	(NOTES 1, 2) CONDITIONS	TEMPERATURE	MIN	MAX	UNITS
Supply Current	ICC	VCC = 5.5V, VIN = VCC or GND	+25°C	-	0.75	mA
Output Current (Sink)	IOL	VCC = 4.5V, VIN = VCC or GND, VOUT = 0.4V	+25°C	4.0	-	mA
Output Current (Source)	IOH	VCC = 4.5V, VIN = VCC or GND, VOUT = VCC -0.4V	+25°C	-4.0	-	mA
Output Voltage Low	VOL	VCC = 4.5V , VIH = 3.15, VIL = 1.35V, IOL = 50μA	+25°C	-	0.1	٧
		VCC = 5.5V, VIH = 3.85, VIL = 1.65V, IOL = 50μA	+25°C	-	0.1	٧
Output Voltage High	VOH	VCC = 4.5V, VIH = 3.15V, VIL =1.35V, IOH = -50μA	+25°C	VCC -0.1	-	٧
		VCC = 5.5V, VIH = 3.85V, VIL =1.65V, IOH = -50μA	+25°C	VCC -0.1	-	٧
Input Leakage Current	IIN	VCC = 5.5V, VIN = VCC or GND	+25°C	-	±5	μΑ
Noise Immunity Functional Test	FN	VCC = 4.5V, VIH = 3.15V, VIL = 1.35V, (Note 3)	+25°C	-	-	-
Propagation Delay CP to Qn	TPHL TPLH	VCC = 4.5V	+25°C	2	31	ns
Propagation Delay CP to TC	TPLH TPLH	VCC = 4.5V	+25°C	2	34	ns
Propagation Delay TE to TC	TPHL	VCC = 4.5V	+25°C	2	23	ns

- 1. All voltages referenced to device GND.
- 2. AC measurements assume RL = 500Ω , CL = 50pF, Input TR = TF = 3ns, VIL = GND, VIH = VCC.
- 3. For functional tests VO ≥ 4.0V is recognized as a logic "1", and VO ≤ 0.5V is recognized as a logic "0".

TABLE 5. BURN-IN AND OPERATING LIFE TEST, DELTA PARAMETERS (+25°C)

PARAMETER	GROUP B SUBGROUP	DELTA LIMIT
ICC	5	12μΑ
IOL/IOH	5	-15% of 0 Hour

TABLE 6. APPLICABLE SUBGROUPS

CONFORMANCE GROUPS		METHOD	GROUP A SUBGROUPS	READ AND RECORD
Initial Test (Prebu	ırn-ln)	100%/5004	1, 7, 9	ICC, IOL/H, IOZ./H
Interim Test 1 (Po	stburn-In)	100%/5004	1, 7, 9	ICC, IOL/H, IOZ./H
Interim Test II (Po	ostburn-In)	100%/5004	1, 7, 9	ICC, IOL/H, IOZ./H
PDA		100%/5004	1, 7, 9, Deltas	
Interim Test III (Postburn-In)		100%/5004	1, 7, 9	ICC, IOL/H, IOZ./H
PDA		100%/5004	1, 7, 9, Deltas	
Final Test		100%/5004	2, 3, 8A, 8B, 10, 11	
Group A (Note 1)		Sample/5005	1, 2, 3, 7, 8A, 8B, 9, 10, 11	
Group B Subgroup B-5		Sample/5005	1, 2, 3, 7, 8A, 8B, 9, 10, 11, Deltas	Subgroups 1, 2, 3, 9, 10, 11
	Subgroup B-6	Sample/5005	1, 7, 9	
Group D		Sample/5005	1, 7, 9	

NOTE:

1. Alternate group A testing in accordance with method 5005 of MIL-STD-883 may be exercised.

TABLE 7. TOTAL DOSE IRRADIATION

CONFORMANCE		TEST		READ ANI	DRECORD
GROUPS	METHOD	PRE RAD	POST RAD	PRE RAD	POST RAD
Group E Subgroup 2	5005	1, 7, 9	Table 4	1, 9	Table 4 (Note 1)

NOTE:

1. Except FN test which will be performed 100% Go/No-Go.

TABLE 8. STATIC AND DYNAMIC BURN-IN TEST CONNECTIONS

				OSCIL	LATOR		
OPEN	GROUND	$1/2$ VCC = 3 V \pm 0.5V	VCC = 6V ± 0.5V	50kHz	25kHz		
STATIC BURN-IN I TEST CONNECTIONS (Note 1)							
11 - 15	1 - 10	-	16	-	-		
STATIC BURN	-IN II TEST CONNECTIONS (Note	∍ 1)					
11 - 15	8	-	1 - 7, 9, 10, 16	-	-		
DYNAMIC BURN-IN TEST CONNECTIONS (Note 2)							
-	4, 6, 8	11 - 15	1, 3, 5, 7, 9, 10, 16	2	-		

NOTES:

- 1. Each pin except VCC and GND will have a resistor of 10K0 $\pm\,5\%$ for static burn-in
- 2. Each pin except VCC and GND will have a resistor of 1K $\Omega \pm 5\%$ for dynamic burn-in

TABLE 9. IRRADIATION TEST CONNECTIONS

OPEN	GROUND	VCC = 5V ± 0.5V
11 - 15	8	1 - 7, 9, 10, 16

NOTE: Each pin except VCC and GND will have a resistor of $47 \text{K}\Omega \pm 5\%$ for irradiation testing. Group E, Subgroup 2, sample size is 4 dice/wafer 0 failures.

HCS163MS

Harris Space Level Product Flow - 'MS'

Wafer Lot Acceptance (All Lots) Method 5007 (Includes SEM)

GAMMA Radiation Verification (Each Wafer) Method 1019, 4 Samples/Wafer, 0 Rejects

100% Nondestructive Bond Pull, Method 2023

Sample - Wire Bond Pull Monitor, Method 2011

Sample - Die Shear Monitor, Method 2019 or 2027

100% Internal Visual Inspection, Method 2010, Condition A

100% Temperature Cycle, Method 1010, Condition C, 10 Cycles

100% Constant Acceleration, Method 2001, Condition per Method 5004

100% PIND, Method 2020, Condition A

100% External Visual

100% Serialization

100% Initial Electrical Test (T0)

100% Static Burn-In 1, Condition A or B, 24 hrs. min., +125°C min., Method 1015

100% Interim Electrical Test 1 (T1) 100% Delta Calculation (T0-T1)

100% Static Burn-In 2, Condition A or B, 24 hrs. min., +125°C min., Method 1015

100% Interim Electrical Test 2 (T2)

100% Delta Calculation (T0-T2)

100% PDA 1, Method 5004 (Notes 1and 2)

100% Dynamic Burn-In, Condition D, 240 hrs., +125°C or Equivalent, Method 1015

100% Interim Electrical Test 3 (T3)

100% Delta Calculation (T0-T3)

100% PDA 2, Method 5004 (Note 2)

100% Final Electrical Test

100% Fine/Gross Leak, Method 1014

100% Radiographic, Method 2012 (Note 3)


100% External Visual, Method 2009

Sample - Group A, Method 5005 (Note 4)

100% Data Package Generation (Note 5)


- 1. Failures from Interim electrical test 1 and 2 are combined for determining PDA 1.
- 2. Failures from subgroup 1, 7, 9 and deltas are used for calculating PDA. The maximum allowable PDA = 5% with no more than 3% of the failures from subgroup 7.
- 3. Radiographic (X-Ray) inspection may be performed at any point after serialization as allowed by Method 5004.
- 4. Alternate Group A testing may be performed as allowed by MIL-STD-883, Method 5005.
- 5. Data Package Contents:
 - · Cover Sheet (Harris Name and/or Logo, P.O. Number, Customer Part Number, Lot Date Code, Harris Part Number, Lot Number, Quantity).
 - · Wafer Lot Acceptance Report (Method 5007). Includes reproductions of SEM photos with percent of step coverage.
 - GAMMA Radiation Report. Contains Cover page, disposition, Rad Dose, Lot Number, Test Package used, Specification Numbers, Test
 equipment, etc. Radiation Read and Record data on file at Harris.
 - · X-Ray report and film. Includes penetrometer measurements.
 - Screening, Electrical, and Group A attributes (Screening attributes begin after package seal).
 - · Lot Serial Number Sheet (Good units serial number and lot number).
 - · Variables Data (All Delta operations). Data is identified by serial number. Data header includes lot number and date of test.
 - The Certificate of Conformance is a part of the shipping invoice and is not part of the Data Book. The Certificate of Conformance is signed
 by an authorized Quality Representative.

Propagation Delay Timing Diagram and Load Circuit




AC VOLTAGE LEVELS

PARAMETER	HCS	UNITS
VCC	4.50	٧
VIH	4.50	V
VS	2.25	٧
VIL	0	٧
GND	0	٧




Pulse Width, Setup, Hold Timing Diagram Positive Edge Trigger and Load Circuit



AC VOLTAGE LEVELS

PARAMETER	HCS	UNITS
VCC	4.50	٧
VIH	4.50	٧
VS	2.25	٧
VIL	0	٧
GND	0	٧



HCS163MS

Die Characteristics

DIE DIMENSIONS:

104 x 86 mils

METALLIZATION:

Type: AlSi

Metal Thickness: 11kÅ ± 1kÅ

GLASSIVATION:

Type: SiO_2 Thickness: $13k\mathring{A} \pm 2.6k\mathring{A}$

WORST CASE CURRENT DENSITY:


 $< 2.0 \times 10^5 \text{A/cm}^2$

BOND PAD SIZE:

100μm x 100μm 4 mils x 4 mils

Metallization Mask Layout

HCS163MS



NOTE: The die diagram is a generic plot from a similar HCS device. It is intended to indicate approximate die size and bond pad location. The mask series for the HCS163 is TA14348A.