
NOTES:

- 1.0 MATERIALS:
- 1.1 HOUSING: STAINLESS STEEL PER ASTM-A582, TYPE 303.
- 1.2 CENTER CONTACT: BERYLLIUM COPPER ROD ALLOY C172, PER ASTM-B194.
- 1.3 DIELECTRIC: PTFE FLUOROCARBON PER ASTM-D1457.
- 2.0 PLATING:
- 2.1 HOUSING: PASSIVATED PER MIL-F-14072 AND QQ-P-35
- 2.2 CENTER CONTACT: GOLD PER MIL-G-45204, TYPE II, CLASS 2.
- 2.3 7MM NUT: ELECTROPOLISH (BRIGHT POLISH)
- 3.0 ELECTRICAL SPECIFICATION:
 - 3.1 FREQUENCY RANGE: DC to 18.0 GHz
 - 3.2 VSWR (MAXIMUM): 1.025+0.0025f(GHz)
- 4.0 DIMENSIONS IN PARENTHESIS ARE IN MILLIMETERS



DWG NO. WAS: 02382-01-00

DATE	4/15/92	9/2/87	6/23/83	3/30/92	3/8/05	
DESCRIPTION	RELEASED	ECR 5482	ECR 6545	REDRAW ON CAD	ADDED TITLEBLOCK	
REV.	ı	∢	В	၁	C1	

NOTICE: The information contained in this drawing is proprietary and must not be used without the permission of Emerson Network Power. UNLESS OTHERWISE NOTED

DIMENSIONS ARE IN INCHES AND TOLERANCES ARE:

3 PLACE DECIMALS ±.005 2 PLACE DECIMALS ±.02 FRACTIONS ±1/64 PARALLELITY: T.I.R. FLATNESS: T.I.R. _

CONCENTRICITY: T.I.R. _ ANGLES AND PERPENDICULARITY: ±1

34078 MIDWEST MICROWAVE



Connectivity Solutions

DRAWN/DATE	ENG./DATE
.BEATTY	A.OSGA
3/30/92	4/15/92
HECKED/DATE	APPROVED/DATE
•	

ADAPTER **OUTLINE DRAWING**

DRAWING NUMBER REV. ADT-2540-7M-SMM-02-01 C1 SCALE: 5=1 SHEET 1 of 1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Emerson Connectivity Solutions: ADT-2540-7M-SMM-02