

## Safety Padlocks and Kits

Safety is an essential element of risk mitigation throughout the physical infrastructure. Panduit introduces new long body non-conductive padlocks, designed specifically for lockout/tagout applications to help reduce the risk of electrical hazards while providing high security. All Panduit lockout kits, lockout stations, and the group lockout box include non-conductive padlocks, contributing to the protection of employees from unexpected hazards while meeting safety and regulatory requirements. In addition, Panduit offers high security and laminated steel padlocks for application flexibility. These are part of a comprehensive line of safety and facility identification products to optimize workplace safety and aid in compliance.



### Key Features

### Benefits

<b>Customized options</b>	<p>Provides customized style, keying, color, and identification options to create the right padlock solution for any application</p> <p>New photo ID option allows the padlock to be customized to include an employee name, picture, and company logo</p>
<b>Multiple padlock styles available</b>	<p>Comprehensive line of padlocks provides application flexibility to enhanced workplace safety</p> <p>New compact aluminum padlocks can be used for lockout operations in tight areas</p>
<b>Lockout kits</b>	<p>Designed specifically for lockout/tagout applications; each kit provides a selection of devices commonly used by electricians, electrical contractors, and MRO personnel to provide a full lockout solution for the application</p> <p>Kits are available with non-conductive padlocks included or without padlocks to allow customized padlocks to be added specific to the application</p>

DISCLAIMER: The information contained herein is intended as a guide for use by persons having technical skill at their own discretion and risk. Before using, Buyer shall determine the suitability of the Panduit product for his intended use and Buyer assumes all risk and liability whatsoever in connection therewith.



Photo ID Padlocks



Compact Aluminum Padlocks



Lockout Kits

# Customized Padlocks

Padlock offering includes many customizable options. Select the style, keying, color, and identification options to create the right padlock solution for your application.

## Padlock Styles



Non-Conductive Safety Padlock



Non-Conductive Long Body Safety Padlock



Aluminum Padlock



Aluminum Long Shackle Padlock



Aluminum Compact Padlock



Laminated Steel Padlock



Laminated Steel Long Shackle Padlock


## Keying Options




Keyed Differently



Keyed Alike



Keyed Differently and Master Keyed



Keyed Alike and Master Keyed

## Color Options



Red



Yellow



Blue



Green



Orange



Black



Purple




Brown

## Identification Options


**NEW!**




Photo ID Padlock



Front



Back



Key

Engraved Padlock

\*Purple and brown are not available on the Laminated Steel Padlock styles; Photo ID available only for Non-Conductive and Non-Conductive long body padlock styles; Engraving not available for Laminated Steel Padlock styles.

## Place Your Order

To specify your customized padlocks, complete the interactive PDF custom order form at [www.Panduit.com/safety](http://www.Panduit.com/safety). Also, visit this website to find a complete listing of available custom options. Send completed forms, employee images, company logos, and other files needed to create your custom padlocks to [safety@Panduit.com](mailto:safety@Panduit.com). Have questions? Need help? Contact us at:

1-800-777-3300

[safety@Panduit.com](mailto:safety@Panduit.com)

[www.panduit.com/safety](http://www.panduit.com/safety)

## Non-Conductive Safety Padlocks



PSL-8 and PSL-8-LB

Aluminum body and shackle with non-conductive vinyl cover delivers protection against electrical hazards for maximum safety, specifically in lockout/tagout applications. Padlock is available with the standard 1.77" body or 3.00" long body design that allows safety message to be displayed on the padlocks in two languages.

Color	Body Height 1.77" (45.2mm)	Body Height 3.00" (76.2mm)	Std. Pkg. Qty.
	Part Number		
Black	PSL-8BL	PSL-8BL-LB	1
Blue	PSL-8BU	PSL-8BU-LB	1
Green	PSL-8GR	PSL-8GR-LB	1
Orange	PSL-8OR	PSL-8OR-LB	1
Red	PSL-8	PSL-8-LB	1
Yellow	PSL-8YL	PSL-8YL-LB	1
Purple	PSL-8PU	PSL-8PU-LB	1
Brown	PSL-8BR	PSL-8BR-LB	1

## Aluminum Padlocks



PSL-7 and PSL-7-LS



PSL-12

Solid aluminum body with anodized aluminum finish design can withstand extreme environmental conditions for improved durability and enhanced corrosion resistance. These padlocks are available with standard 1.50" x 1.62" body or ultra-compact 1.25" x 1.37" body for lockout operations in tight spaces.

Color	Body Height 1.62" (41.1mm) Shackle Height 1.00" (25.4mm)	Body Height 1.62" (41.1mm) Shackle Height 3.00" (76.2mm)	<b>NEW!</b> Body Height 1.25" (41.1mm) Shackle Height 1.00" (25.4mm)	Std. Pkg. Qty.
	Part Number			
Black	PSL-7BL	PSL-7BL-LS	PSL-12BL	1
Blue	PSL-7BU	PSL-7BU-LS	PSL-12BU	1
Green	PSL-7GR	PSL-7GR-LS	PSL-12GR	1
Orange	PSL-7OR	PSL-7OR-LS	PSL-12OR	1
Red	PSL-7	PSL-7-LS	PSL-12	1
Yellow	PSL-7YL	PSL-7YL-LS	PSL-12YL	1
Purple	PSL-7PU	PSL-7PU-LS	PSL-12PU	1
Brown	PSL-7BR	PSL-7BR-LS	PSL-12BR	1

## Laminated Steel Padlocks



PSL-6 and PSL-6-LS

Designed with galvanized layers and hardened steel shackle with double-ball locking mechanism to provide protection from cutting, prying, and rusting for maximum durability and reliability.

Color	Shackle Height 0.75" (19.1mm)	Shackle Height 2.00" (50.8mm)	Std. Pkg. Qty.
	Part Number		
Black	PSL-6BL	PSL-6BL-LS	1
Blue	PSL-6BU	PSL-6BU-LS	1
Green	PSL-6GR	PSL-6GR-LS	1
Orange	PSL-6OR	PSL-6OR-LS	1
Red	PSL-6	PSL-6-LS	1
Yellow	PSL-6YL	PSL-6YL-LS	1

## Specialty Padlocks



PSL-9 and PSL-9-LS



PSL-CS

Harsh environment padlocks are created with a solid brass body with a chrome finish and stainless steel shackle for use in severe weather and environmental conditions. Flexible shackle padlocks allow movement of the lock body in order to close the panel door

Part Number	Color	Part Number	Std. Pkg. Qty.
PSL-9	Silver	Harsh environment padlock; shackle height 1.00" (25.4mm)	1
PSL-9-LS	Silver	Harsh environment padlock; shackle height 3.00" (76.2mm)	1
PSL-CS	Red	Flexible shackle padlock; shackle height 5.00" (127.0mm)	1

# Lockout Kits

## Electrician Lockout Kit



PSL-PK-EAP

Part Number	Part Description	Std. Pkg. Qty.
PSL-PK-EAP	Kit includes: (1) screwdriver, (1) PSL-PK pouch, (1) PSL-8 padlock, (1) PSL-MLD multiple lockout, (1) PSL-WS wall switch lockout, (1) PSL-PCBNT PowerLOK™ No Tool Circuit Breaker Lockout, (1) PSL-P plug lockout, (5) PVT-30 blocking tags.	1
PSL-PK-EA	Kit includes: (1) screwdriver, (1) PSL-PK pouch, (1) PSL-8 padlock, (1) PSL-MLD multiple lockout, (1) PSL-WS wall switch lockout, (1) PSL-CBNT No Tool circuit breaker lockout, (1) PSL-P plug lockout, (5) PVT-30 blocking tags.	1
PSL-PK-EAPX	Kit includes: (1) screwdriver, (1) PSL-PK pouch, (1) PSL-MLD multiple lockout, (1) PSL-WS wall switch lockout, (1) PSL-PCBNT PowerLOK™ No Tool circuit breaker Lockout, (1) PSL-P plug lockout, (5) PVT-30 blocking tags.	1

## Contractor Lockout Kit



PSL-KT-PWRP

Part Number	Part Description	Std. Pkg. Qty.
PSL-KT-CONAP	Kit includes: (1) screwdriver, (1) PSL-KT case, (6) PSL-8 padlocks, (1) PSL-1A hasp, (1) PSL-MLD lockout, (3) PSL-WS wall switch lockout, (3) PSL-PCBNT PowerLOK™ No Tool Circuit Breaker Lockout, (3) PSL-P plug lockouts, (15) PVT-98 tags.	1
PSL-KT-CONA	Kit includes: (1) screwdriver, (1) PSL-KT case, (6) PSL-8 padlocks, (1) PSL-1A hasp, (1) PSL-MLD lockout, (3) PSL-WS wall switch lockout, (3) PSL-CBNT No Tool circuit Breaker Lockout, (3) PSL-P plug lockouts, (15) PVT-98 tags.	1
PSL-KT-CONAPX	Kit includes: (1) screwdriver, (1) PSL-KT case, (1) PSL-1A hasp, (1) PSL-MLD lockout, (3) PSL-WS wall switch lockout, (3) PSL-PCBNT PowerLOK™ No Tool Circuit Breaker Lockout, (3) PSL-P plug lockouts, (15) PVT-98 tags.	1

## Maintenance Lockout Kit



PSL-KT-MROAP

Part Number	Part Description	Std. Pkg. Qty.
PSL-KT-MROAP	Kit includes: (1) screwdriver, (1) PSL-BX case, (3) PSL-8 padlocks, (1) PSL-MLD, (2) PSL-WS, (2) PSL-PCBNT PowerLOK™ No Tool Circuit Breaker Lockout, (2) PSL-P, (1) PSL-V6A, (1) PSL-V2A, (1) PSL-BV2, (1) PSL-CL110, (10) PVT-44 maintenance tags.	1
PSL-KT-MROA	Kit includes: (1) screwdriver, (1) PSL-BX case, (3) PSL-8 padlocks, (1) PSL-MLD, (2) PSL-WS, (2) PSL-CBNT No Tool Circuit Breaker Lockout, (2) PSL-P, (1) PSL-V6A, (1) PSL-V2A, (1) PSL-BV2, (1) PSL-CL110, (10) PVT-44 maintenance tags.	1
PSL-KT-MROAPX	Kit includes: (1) screwdriver, (1) PSL-BX case, (1) PSL-MLD, (2) PSL-WS, (2) PSL-PCBNT PowerLOK™ No Tool Circuit Breaker Lockout, (2) PSL-P, (1) PSL-V6A, (1) PSL-V2A, (1) PSL-BV2, (1) PSL-CL110, (10) PVT-44 maintenance tags.	1

## Power and Panel Distribution Lockout Kit



PSL-KT-PWRP

Part Number	Part Description	Std. Pkg. Qty.
PSL-KT-PWRP	Kit includes: (1) screwdriver, (1) PSL-STATION, (2) PSL-8 padlocks, (1) PSL-MLD, (2) PSL-PCBNT PowerLOK™ No Tool Circuit Breaker Lockout, (2) PSL-CBILNT, (2) PSL-CBL, (1) PSL-P, (25) PVT-23-Q tags.	1
PSL-KT-PWR	Kit includes: (1) screwdriver, (1) PSL-STATION, (2) PSL-8 padlocks, (1) PSL-MLD, (2) PSL-CBNT No Tool Circuit Breaker Lockout, (2) PSL-CBILNT, (2) PSL-CBL, (1) PSL-P, (25) PVT-23-Q tags.	1
PSL-KT-PWRPX	Kit includes: (1) screwdriver, (1) PSL-STATION, (1) PSL-MLD, (2) PSL-PCBNT PowerLOK™ No Tool Circuit Breaker Lockout, (2) PSL-CBILNT, (2) PSL-CBL, (1) PSL-P, (25) PVT-23-Q tags.	1

### WORLDWIDE SUBSIDIARIES AND SALES OFFICES

PANDUIT CANADA  
Markham, Ontario  
cs-cdn@panduit.com  
Phone: 800.777.3300

PANDUIT EUROPE LTD.  
London, UK  
cs-emea@panduit.com  
Phone: 44.20.8601.7200

PANDUIT SINGAPORE PTE. LTD.  
Republic of Singapore  
cs-ap@panduit.com  
Phone: 65.6305.7575

PANDUIT JAPAN  
Tokyo, Japan  
cs-japan@panduit.com  
Phone: 81.3.6863.6000

PANDUIT LATIN AMERICA  
Guadalajara, Mexico  
cs-la@panduit.com  
Phone: 52.33.3777.6000

PANDUIT AUSTRALIA PTY. LTD.  
Victoria, Australia  
cs-aus@panduit.com  
Phone: 61.3.9794.9020

For a copy of Panduit product warranties, log on to [www.panduit.com/warranty](http://www.panduit.com/warranty)

For more information

Visit us at [www.panduit.com](http://www.panduit.com)

Contact Customer Service by email: [cs@panduit.com](mailto:cs@panduit.com)  
or by phone: 800.777.3300

**PANDUIT**®

©2014 Panduit Corp.  
ALL RIGHTS RESERVED.  
Printed in the U.S.A.  
Product Bulletin Number **SFCB05-SA-ENG**  
Replaces SFCB02-SA-ENG  
11/2014