





DESCRIPTION:	D-SUB HOOD, SHIELDED METAL, 9 PINS
PART NUMBER:	40-9709HM
APPLICATION:	D-SUB HOOD
CRIMP TOOL:	N/A
IMPEDANCE:	N/A
FREQUENCY RANGE:	N/A
MATERIAL:	ZINC ALLOY
RoHS COMPLIANCE:	YES
TECHNICAL DETAIL:	N/A
ATTACHMENT:	SCREW AND NUT







 ${\it \oslash}$ A: 6, 6.5, 7, 7.5, 8, 8.5, 9 mm



EMERSON.		AIM-Cambridge				
Network Power Connectivity Solutions This PROPRIETARY Document is property of mension Network Power Connectivity Solutions. Non-transferation, and issued with the clear understanding final it is permission add is returnated permission add is returnated. INTERPRET DRAWING IN ACCORDANCE WITH ASME Y 14.52009.	RoHS 2002/95/EC	Title:	e: D-Sub Hood, Shielded Metal, 9 Pins			
	UNLESS OTHERWISE SPECIFIED UNITS: METRIC .XX ±.51 .XXX ±.127	Model No. 40-9709HM				
	.XXX ±.127 ANGLES ±2°	Size A	DO NOT SCALE DRAWING	Date: 5/31/2013	Sheet 1 of 1	