# **Detailed Specifications & Technical Data**

#### METRIC MEASUREMENT VERSION



### **HCCT Tools and Accessories - Compression Tool**



For more Information please call

1-800-Belden1



#### **General Description:**

Compression Tool.

## **Usage (Overall)**

**Suitable Applications:** BNC, RCA, and F Connectors

#### **Physical Characteristics (Overall)**

BNC, RCA, F **Connector Interface:** 

### **Applicable Specifications and Agency Compliance (Overall)**

# **Applicable Standards & Environmental Programs**

EU Directive 2000/53/EC (ELV):	Yes
EU Directive 2002/95/EC (RoHS):	Yes
EU Directive 2002/96/EC (WEEE):	Yes
EU Directive 2003/11/EC (BFR):	Yes
CA Prop 65 (CJ for Wire & Cable):	Yes
MII Order #39 (China RoHS):	Yes

## **Notes (Overall)**

Notes: For Belden 1B25A, 1R25A, HC2920A, and HC2910A connectors.

#### **Put Ups and Colors:**

Item #	Putup	Ship Weight	Color	Notes	Item Desc
HCCT 000020	1 EA	0.023 KG	NONE		COMPRESSION TOOL FOR BNC/RCA

#### **Test Reports**

i) UL Test Reports are available on-line through the UL Client Document Access web portal.
ii) UL Inspection Reports are also available through the UL Client Document Access web portal.

b) CŚA

i) CSA "Descriptive Report and Test Results" documents are available on the CSA Gateway Portal.

ii) CSA Inspection Reports are maintained on the CSA issued 'flash drive' at each manufacturing location.

Revision Number: 1 Revision Date: 05-14-2007

© 2012 Belden, Inc All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with EU RoHS (Directive 2002/95/EC, 27-Jan-2003). Material manufactured prior to the compliance date may be in stock at Belden facilities and in our Distributor's inventory. The information provided in this Product Disclosure, and the identification of materials listed as reportable or restricted within the Product Disclosure, is correct to the best of Belden's knowledge,

<sup>\*</sup> other test data may be available if requested at time of order.

# **Detailed Specifications & Technical Data**

**METRIC MEASUREMENT VERSION** 



# **HCCT Tools and Accessories - Compression Tool**

information, and belief at the date of its publication. The information provided in this Product Disclosure is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. This Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.

Page 2 of 2 12-30-2012

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Belden Wire & Cable: