



## ALUMINUM TOOL FOR USE WITH GLENAIR COMPOSITE BACKSHELLS



**TABLE I: DASH NUMBER AND DIMENSIONS**

Dash No.	A Ref.	B +/- .005 (.13) Hex*	Shell Size Ref.	Composite Torque Inch Pounds
08	7.38 (187.5)	.750 (19.1)	08/09	40
10	7.50 (190.5)	.875 (22.2)	10/11	40
12	7.50 (190.5)	1.000 (25.4)	12/13	40
14	7.50 (190.5)	1.125 (28.6)	14/15	40
16	7.50 (190.5)	1.250 (31.8)	16/17	40
18	7.75 (196.9)	1.375 (34.9)	18/19	40
20	8.00 (203.2)	1.500 (38.1)	20/21	80
22	8.25 (209.6)	1.625 (41.3)	22/23	80
24	8.25 (209.6)	1.750 (44.5)	24/25	80
28	8.50 (215.9)	2.000 (50.8)	28	120
32	10.00 (254.0)	2.250 (57.2)	32	120
36	10.00 (254.0)	2.500 (63.5)	36	120
44	10.00 (254.0)	3.000 (76.2)	44	160

\* See Note 3

**APPLICATION NOTES**

1. This backshell assembly tool is designed for Glenair composite hex coupling applications and should be used in conjunction with Glenair torque wrenches (see page 14).
2. These wrenches are made of aluminum alloy with vinyl grips.
3. B Hex is critical, adjust set screw until dimension is within tolerance (+/- .005)
4. Metric dimensions (mm) are indicated in parentheses.

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Glenair:](#)

[600-091-14](#)