




.100" Unshielded Systems — Boardmount Sockets





Boardmount Sockets						
						
Contact Quantity per Row	1 Row			2 Row		
	Low Profile, Stackable	Stackable	Thru Board	Thru Board	Stackable	Stackable .100 x .150 ST
	TS-0211	TS-0210	TS-0309	TS-0310	TS-0212	TS-0213
01	929XXX-01-01-XX	9X9XXX-01-01-XX	929XX1-01-01-XX	929XX2-01-01-XX	9X9XXX-01-01-XX	9X9XXX-01-01-XX
02	929XXX-01-02-XX	9X9XXX-01-02-XX	929XX1-01-02-XX	929XX2-01-02-XX	9X9XXX-01-02-XX	9X9XXX-01-02-XX
03	929XXX-01-03-XX	9X9XXX-01-03-XX	929XX1-01-03-XX	929XX2-01-03-XX	9X9XXX-01-03-XX	9X9XXX-01-03-XX
04	929XXX-01-04-XX	9X9XXX-01-04-XX	929XX1-01-04-XX	929XX2-01-04-XX	9X9XXX-01-04-XX	9X9XXX-01-04-XX
05	929XXX-01-05-XX	9X9XXX-01-05-XX	929XX1-01-05-XX	929XX2-01-05-XX	9X9XXX-01-05-XX	9X9XXX-01-05-XX
06	929XXX-01-06-XX	9X9XXX-01-06-XX	929XX1-01-06-XX	929XX2-01-06-XX	9X9XXX-01-06-XX	9X9XXX-01-06-XX
07	929XXX-01-07-XX	9X9XXX-01-07-XX	929XX1-01-07-XX	929XX2-01-07-XX	9X9XXX-01-07-XX	9X9XXX-01-07-XX
08	929XXX-01-08-XX	9X9XXX-01-08-XX	929XX1-01-08-XX	929XX2-01-08-XX	9X9XXX-01-08-XX	9X9XXX-01-08-XX
09	929XXX-01-09-XX	9X9XXX-01-09-XX	929XX1-01-09-XX	929XX2-01-09-XX	9X9XXX-01-09-XX	9X9XXX-01-09-XX
10	929XXX-01-10-XX	9X9XXX-01-10-XX	929XX1-01-10-XX	929XX2-01-10-XX	9X9XXX-01-10-XX	9X9XXX-01-10-XX
11	929XXX-01-11-XX	9X9XXX-01-11-XX	929XX1-01-11-XX	929XX2-01-11-XX	9X9XXX-01-11-XX	9X9XXX-01-11-XX
12	929XXX-01-12-XX	9X9XXX-01-12-XX	929XX1-01-12-XX	929XX2-01-12-XX	9X9XXX-01-12-XX	9X9XXX-01-12-XX
13	929XXX-01-13-XX	9X9XXX-01-13-XX	929XX1-01-13-XX	929XX2-01-13-XX	9X9XXX-01-13-XX	9X9XXX-01-13-XX
14	929XXX-01-14-XX	9X9XXX-01-14-XX	929XX1-01-14-XX	929XX2-01-14-XX	9X9XXX-01-14-XX	9X9XXX-01-14-XX
15	929XXX-01-15-XX	9X9XXX-01-15-XX	929XX1-01-15-XX	929XX2-01-15-XX	9X9XXX-01-15-XX	9X9XXX-01-15-XX
16	929XXX-01-16-XX	9X9XXX-01-16-XX	929XX1-01-16-XX	929XX2-01-16-XX	9X9XXX-01-16-XX	9X9XXX-01-16-XX
17	929XXX-01-17-XX	9X9XXX-01-17-XX	929XX1-01-17-XX	929XX2-01-17-XX	9X9XXX-01-17-XX	9X9XXX-01-17-XX
18	929XXX-01-18-XX	9X9XXX-01-18-XX	929XX1-01-18-XX	929XX2-01-18-XX	9X9XXX-01-18-XX	9X9XXX-01-18-XX
19	929XXX-01-19-XX	9X9XXX-01-19-XX	929XX1-01-19-XX	929XX2-01-19-XX	9X9XXX-01-19-XX	9X9XXX-01-19-XX
20	929XXX-01-20-XX	9X9XXX-01-20-XX	929XX1-01-20-XX	929XX2-01-20-XX	9X9XXX-01-20-XX	9X9XXX-01-20-XX
21	929XXX-01-21-XX	9X9XXX-01-21-XX	929XX1-01-21-XX	929XX2-01-21-XX	9X9XXX-01-21-XX	9X9XXX-01-21-XX
22	929XXX-01-22-XX	9X9XXX-01-22-XX	929XX1-01-22-XX	929XX2-01-22-XX	9X9XXX-01-22-XX	9X9XXX-01-22-XX
23	929XXX-01-23-XX	9X9XXX-01-23-XX	929XX1-01-23-XX	929XX2-01-23-XX	9X9XXX-01-23-XX	9X9XXX-01-23-XX
24	929XXX-01-24-XX	9X9XXX-01-24-XX	929XX1-01-24-XX	929XX2-01-24-XX	9X9XXX-01-24-XX	9X9XXX-01-24-XX
25	929XXX-01-25-XX	9X9XXX-01-25-XX	929XX1-01-25-XX	929XX2-01-25-XX	9X9XXX-01-25-XX	9X9XXX-01-25-XX
26	929XXX-01-26-XX	9X9XXX-01-26-XX	929XX1-01-26-XX	929XX2-01-26-XX	9X9XXX-01-26-XX	9X9XXX-01-26-XX
27	929XXX-01-27-XX	9X9XXX-01-27-XX	929XX1-01-27-XX	929XX2-01-27-XX	9X9XXX-01-27-XX	9X9XXX-01-27-XX
28	929XXX-01-28-XX	9X9XXX-01-28-XX	929XX1-01-28-XX	929XX2-01-28-XX	9X9XXX-01-28-XX	9X9XXX-01-28-XX
29	929XXX-01-29-XX	9X9XXX-01-29-XX	929XX1-01-29-XX	929XX2-01-29-XX	9X9XXX-01-29-XX	9X9XXX-01-29-XX
30	929XXX-01-30-XX	9X9XXX-01-30-XX	929XX1-01-30-XX	929XX2-01-30-XX	9X9XXX-01-30-XX	9X9XXX-01-30-XX
31	929XXX-01-31-XX	9X9XXX-01-31-XX	929XX1-01-31-XX	929XX2-01-31-XX	9X9XXX-01-31-XX	9X9XXX-01-31-XX
32	929XXX-01-32-XX	9X9XXX-01-32-XX	929XX1-01-32-XX	929XX2-01-32-XX	9X9XXX-01-32-XX	9X9XXX-01-32-XX
33	929XXX-01-33-XX	9X9XXX-01-33-XX	929XX1-01-33-XX	929XX2-01-33-XX	9X9XXX-01-33-XX	9X9XXX-01-33-XX
34	929XXX-01-34-XX	9X9XXX-01-34-XX	929XX1-01-34-XX	929XX2-01-34-XX	9X9XXX-01-34-XX	9X9XXX-01-34-XX
35	929XXX-01-35-XX	9X9XXX-01-35-XX	929XX1-01-35-XX	929XX2-01-35-XX	9X9XXX-01-35-XX	9X9XXX-01-35-XX
36	929XXX-01-36-XX	9X9XXX-01-36-XX	929XX1-01-36-XX	929XX2-01-36-XX	9X9XXX-01-36-XX	9X9XXX-01-36-XX
37			929XX1-01-37-XX	929XX2-01-37-XX		
38			929XX1-01-38-XX	929XX2-01-38-XX		
39			929XX1-01-39-XX	929XX2-01-39-XX		
40		9X9XXX-01-40-XX	929XX1-01-40-XX	929XX2-01-40-XX	9X9XXX-01-40-XX	9X9XXX-01-40-XX
Plating Options:	870=Gold 984=Tin Lead, 2-sided pre-plated w/C770 wipers	850=Gold 974=100 micro inch (2.54) Tin Lead	841=Gold 971=100 micro inch (2.54) Tin Lead	842=Gold 972=100 micro inch (2.54) Tin Lead	852=Gold 975=100 micro inch (2.54) Tin Lead	855=Gold 977=100 micro inch (2.54) Tin Lead

9X9XXX-01-XX-XX

Board Mounting Options:
 2=Standard product w/o Kinked tail
 R=With Kinked Tail Board Retention Feature
Plating Options:
 See Table

Plating Thickness on Wiping Area:
 10=0 micro inch (0.25) Gold
 30=30 micro inch (0.76) Gold
Contact Quantity per Row:
 See Table

Technical drawing/document numbers (TS-0####) are noted in the column heads above.

Contact Quantity	Boardmount Sockets (continued)					Plug		
								
	.100 x .100 Polarized						4600 Series	
	Centerbump				High Profile	.100 x .100		
Straight		Right Angle		Right Angle				
	TS-0413	TS-0689	TS-0690	TS-0414	TS-0386*	TS-0086		
06								
08								
10	8510-4500JL					4610-XXXX		
14						4614-XXXX		
16	8516-4500JL					4616-XXXX		
18								
20	8520-4500JL		9120-4500JL	5120-B7A2JL	40320-B7A2JL	4620-XXXX		
24						4624-XXXX		
26	8526-4500JL		9126-4500JL	5126-B7A2JL		4626-XXXX		
30				5130-B7A2JL		4630-XXXX		
34	8534-4500JL	6820-4500JL	9134-4500JL	5136-B7A2JL		4634-XXXX		
36						4636-XXXX		
40	8540-4500JL	6840-4500JL	9140-4500JL	5140-B7A2JL	3815-B7A2JL	4640-XXXX		
50	8550-4500JL	6850-4500JL	9150-4500JL	5150-B7A2JL	3819-B7A2JL	4650-XXXX		
60	8560-4500JL		9160-4500JL	5160-B7A2JL		4660-XXXX		
64	8564-4500JL		9164-4500JL	5164-B7A2JL		4664-XXXX		

XX XX-XXXX


- Product Series: |
Contact Quantity: |
Cover Style: |
6=Open End
7=Closed End
Ejector/Latch System: |
0=None
2=Short Ejector Latch (3505-16)
3=Long Ejector Latch (3505-17)
4=Universal Ejector Latch (3505-21)
- Body Style:
0=Mounting
Flange
1=no Mounting
Flange
3=no Mounting
Flange w/
Strain Relief
5=Mounting
Flanges w/
threaded insert
from socket
mating side
- Polarization:
0=for 14 to 64
contacts
0=Notch C on
10 position
5=Notch B on
10 position

*Connector has built-in Mounting Flanges.

Technical drawing/document numbers (TS-0###) are noted in the column heads above.

.100" Unshielded Systems — Boardmount Headers (continued)

Card-Edge Connectors



Drilled Flange			Molded Key	90 Series
TS-0012	TS-0011	TS-0010	TS-0013	TS-0100
3358-0X00	3358-0X02	3358-0X01		
3368-0X00	3368-0X02	3368-0X01		
3461-0X00	3461-0X02	3461-0X01	3461-0X41	89520-00X1
3462-0X00	3462-0X02	3462-0X01		
3463-0X00	3463-0X02	3463-0X01	3463-0X41	89534-00X1
3464-0X00	3464-0X02	3464-0X01		89540-00X1
3415-0X00	3415-0X02	3415-0X01	3415-0X41	89550-00X1
3666-0X00	3666-0X02	3666-0X01		
3403-0X00	3403-0X02	3403-0X01		

XXXXX-0XXX

Part Number: |
 Cover: |
 0=Cover with adhesive |
 2=Preassembled, no adhesive on cover |
 Mounting: |
 0=Flange with hole |
 1=No flange |
 2=Flange with slot |
 Polarization: |
 0=No polarizing |
 4=Polarizing key molded between positions 3,4 & 5,6

Note: Strain Relief and Keys are shown on the respective Technical Service Drawings.

Technical drawing/document numbers (TS-0###) are noted in the column heads above.