



Our commitment. Your advantage.


Search

[Products](#) | [Documentation](#) | [Resources](#) | [My Account](#) | [Customer Support](#)

[Home](#) > [Products](#) > [By Type](#) > [Removable Memory Products](#) > [Product Feature Selector](#) > Product Details

## 146832-1 Product Details

[Live Product Chat](#)



### PC Card (PCMCIA) Connectors & Accessories

[Not EU RoHS or ELV Compliant](#)

#### Product Highlights:

- Receptacle
- Non-CardBus Application
- PCB Offset = 0.00 mm
- Lead Type = Straddle Mount
- Number of Positions = 68

[View all Features](#)

#### Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

**146832-1**

TE Internal Number: 146832-1

**Obsolete**

[Contact Product Information Center](#)

[Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

### Documentation & Additional Information

**Product Drawings:**

- None Available

**Catalog Pages/Data Sheets:**

- [PC CARD CONNECTORS](#) (PDF, English)

**Product Specifications:**

- None Available

**Application Specifications:**

- None Available

**Instruction Sheets:**

- None Available

**CAD Files:**

- None Available

**Additional Information:**

- [Product Line Information](#)

**Related Products:**

- [Tooling](#)

[List all Documents](#)

### Product Features (Please use the Product Drawing for all design activity)

**Product Type Features:**

- [Product Type](#) = Receptacle
- [Number of Positions](#) = 68
- [Shielded](#) = No
- [Mating Polarization](#) = Without
- Holddowns = Without
- Color = Black
- Comment = I/O header should have the same PCB offset as receptacle.

**Mechanical Attachment:**

- Lead Length (mm [in]) = 2.54 [0.100]

**Termination Related Features:**

- Solder Tail Contact Plating = Tin-Lead (100)

**Body Related Features:**

- [PCB Offset \(mm \[in\]\)](#) = 0.00 [0.000]
- [Lead Type](#) = Straddle Mount
- Number of Rows = Dual
- Centerline (mm [in]) = 1.27 [0.050]

**Contact Related Features:**

- [Contact Mating Area Plating Material](#) = Gold (30)
- Region = Americas
- Contact Base Material = Beryllium Copper
- Contact Underplating = Nickel

**Housing Related Features:**

- Housing Material = Liquid Crystal Polymer (LCP)

**Industry Standards:**

- [RoHS/ELV Compliance](#) = Not ELV/RoHS compliant
- [Lead Free Solder Processes](#) = Reflow solder capable to 245°C, Reflow solder capable to 260°C

**Operation/Application:**

- [Application](#) = Non-CardBus

**Packaging Related Features:**

- [Packaging Method](#) = Tube

**Other:**

- Brand = AMP

[Provide Website Feedback](#) | [Need Help?](#)