


MW6S-12P Product Details



MW6S-12P
(1617107-2)

TE Internal Number: 1617107-2

[Active](#)

High Frequency Relays

[Always EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

Product Highlights:

- MW6S Series
- Sensitive Coil Rating
- Coil Resistance = 850 ?
- Coil Voltage = 12 VDC
- Upper Frequency, Max. = 6 GHz

[View all Features](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

[Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

Documentation & Additional Information

Product Drawings:

- None Available

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

Product Features (Please use the Product Drawing for all design activity)

Electrical Characteristics:

- Coil Rating = Sensitive
- Coil Resistance (?) = 850
- Coil Voltage (VDC) = 12
- Upper Frequency, Max. (GHz) = 6

Body Related Features:

- Series = MW6S
- Terminal Style = PCB Pins

Contact Related Features:

- Option = None

Configuration Related Features:

- Contact Arrangement = 2 Form C, DPDT, 2 C/O

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C
- RoHS/ELV Compliance History = Always was RoHS compliant

Other:

- Brand = CII

Corporate Information

- [Who We Are](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)

Quick Links

- [Check Distributor Inventory](#)
- [Cross Reference](#)
- [Find Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

Customer Support

- [Email or Chat with Us](#)
- [Find a Phone Number](#)
- [Search Knowledge Base](#)
- [Manage Your Account](#)