



Smart Technology. Delivered.

Revie and Revie Pro Internal Multi-band Antenna



The evolution of technology has brought the need to communicate everywhere and at all times without being confined to one space. Laird's internal wireless device antennas feature wide bandwidth to enhance the performance and application of portable wireless devices. The antennas are specifically designed to be embedded inside devices for aesthetically pleasing integration with high durability.

FEATURES

- Ground plane independent designs minimizes engineering resources
- Compliments GSM module offerings
- Various cable/connector options offer flexibility

MARKETS


- WiMAX Hand-held data devices
- Access points

SPECIFICATIONS


Element type	*Printed Half-Wave Dipole
Frequency range	ISM 868 MHz GSM 880-960 MHz DCS 1710-1880 MHz PCS 1850-1990 MHz
Polarization	Linear ¹
Peak gain	1.0 dBi
Impedance	50 ohms
VSWR	2.5:1
Dimensions (L x W x T)	80 x 30 x 1.5 mm dia

*Patent Pending


¹ Contains both vertical and horizontal components the ratio of which varies with the spatial location.



Azimuth Plane, 915 MHz



Azimuth Plane, 1785 MHz



Azimuth Plane, 1910 MHz

MODEL NUMBER	PART NUMBER	FREQUENCY RANGE	CABLE	CONNECTOR
Revie	AAF95003	900/1800/1900 MHz	12 in Brown	MMCX
Revie	AAF95004	900/1800/1900 MHz	RG-178	Murata GSC
Revie Pro	AAF95035	868/900/1800/1900 MHz	12 in Brown RG-178	MMCX
Revie Pro	MAF95013	868/900/1800/1900 MHz	2.625 in Brown RG-178	MMCX
Revie Pro	MAF95004	868/900/1800/1900 MHz	10 in Brown RG-178	SSMB
Revie Pro	MAF95017	868/900/1800/1900 MHz	8 in 1.13 dia coax	MHF
Revie Pro	MAF95021	868/900/1800/1900 MHz	32 in RG-174 coax	RP-SMA
Revie Pro	MAF95022	868/900/1800/1900 MHz	4 in Brown RG-178	MMS RA Plug
Revie Pro	MAF95050	868/900/1800/1900 MHz	1.85 in Brown RG-178	MMCX

Americas: +1.847.839.6907
IAS-AmericasEastSales@lairdtech.com

Europe: +44.1628.858941
IAS-EUSales@lairdtech.com

Asia: +86.21.5855.0827.127
IAS-AsiaSales@lairdtech.com

www.lairdtech.com

ANT-DS-REVIE 0115

Any information furnished by Laird Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user, since Laird and its agents cannot be aware of all potential uses. Laird makes no warranties as to the fitness, merchantability or suitability of any Laird materials or products for any specific or general uses. Laird shall not be liable for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2015 Laird Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Logo, and other marks are trade marks or registered trade marks of Laird Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird or any third party intellectual property rights.