ACC.

Amphenol

ACCESSORIES



ACCESSORIES

- Colour coded boots(backshells) and rings to assist in cable identification.
- In-line adaptors. Pre-wired for convenience.
- Termination tool for fast assembly of cable connectors.
- · Mounting hardware.
- Metal boots(backshells) for rugged environments.

PRODUCT - FIGURE	DRAWING Dimensions in mm (inches)	DESCRIPTION	VARIATIONS	PART NUMBER			
	AMPHENOL 619.0 (6.748")	XLR 3 pole male to 3 pole male adapter, Pre wired, Metal Shell	Nickel Finish	AC3M3MW			
	[0.745"]		Black Finish	AC3M3MBW			
	AMPRENOL. 193.0 (5.745')	XLR 3 pole female to 3 pole female adapter,	Nickel Finish	AC3F3FW			
	-60.4 [2.378*] -86.5 [3.408*]	Pre wired, Metal Shell	Black Finish	AC3F3FBW			
	AMPHENOL 619.0 [8.745"]	XLR 3 pole female to 3 pole male adapter,	Nickel Finish	AC3F3MW			
		Pre wired, Metal Shell	Black Finish	AC3F3MBW			
	(0.744*) 	XLR 3 pole female to 5 pole male adapter, Pre wired, Metal Shell	Nickel Finish	AC3F5MW			
	(0.744°) 	XLR 3 pole male to 5 pole female adapter, Pre wired, Metal Shell	Nickel Finish	AC3M5FW			
	(0.744°)	XLR 5 pole male to 5 pole male adapter, Pre wired, Metal Shell	Nickel Finish	AC5M5MW			
	902.3 (1569) 903.3 (1569) 90	Termination Tool	For IDC and Solder cable connectors	T2860			
	7 dis 1 neu Ligis V 35 25 144	Termination Tool	For AC Series Right Angle cable con- nectors	T2880			
	27 #558 TRRU 27 #558 TRRU 27 #558 TRRU 28 #5187 \$5	Termination Tool	For AX Series cable connectors	T2890			
*	2.0 [.060 ⁷] 7.8 [.507 ⁷] S12-1-187-100 SCRIP WITH INSEAD 2-1-100 SC	A Type / C Type Connector Mounting, Self-Tapping Screw	2.9 x 1.06 Tri-rondular	52500002-734			
>	M2 5 x 0 4 5	B Type Connector Mounting, Self-Tapping Screw	M2.5	52500005-732			

Amphenol

ACCESSORIES

PRODUCT - FIGURE	DRAWING Dimensions in mm (inches)	DESCRIPTION	VARIATIONS	PART NUMBER
		AX Series	Brown	AX-B00T-1
		Coloured Boot	Red	AX-B00T-2
			Orange	AX-B00T-3
	₩33		Yellow	AX-B00T-4
			Green	AX-B00T-5
	Ø21.2 (833)		Blue	AX-BOOT-6
			Violet	AX-B00T-7
	39.0 [1.54]		Grey	AX-B00T-8
			White	AX-B00T-9
			Black	AX-BOOT
			Clear	AX-BOOT-CLR
		AC Coloured	Brown	AC-NUT-BRN
	5, 5, 5, 5, 5, 5, 5	Boot / Backshell	Red	AC-NUT-RED
	49.5 [1.949"]		Orange	AC-NUT-ORG
			Yellow	AC-NUT-YEL
	020.2 [0.795"]		Green	AC-NUT-GRN
	0.0	Note: Number Identifi-	Blue	AC-NUT-BLU
	Ŷ	cation optional. (Please contact us.)	Violet	AC-NUT-VIO
10,000		Contact us.)	Grey	AC-NUT-GRY
			White	AC-NUT-WHT
	05.0.30 (%) 15.0 (%) 15.0 (%) 15.0	Description: Coloured	Brown	AC-GROMMET-BRN
		Grommets to suit AC Series, T Series and Musician range	Red	AC-GROMMET-RED
			Orange	AC-GROMMET-ORG
			Yellow	AC-GROMMET-YEL
			Green	AC-GROMMET-GRN
	İ		Blue	AC-GROMMET-BLU
	<u> </u>		Violet	AC-GROMMET-VIO
715			Grey	AC-GROMMET-GRY
			White	AC-GROMMET-WHT
000	4.9 [.188*] Ø17.0 [Ø.652*]	AC Coloured Identification Rings – Plain and Numbered	Brown	AC-RING-BRN
			Red	AC-RING-RED
			Orange	AC-RING-ORG
			Yellow	AC-RING-YEL
0			Green	AC-RING-GRN
			Blue	AC-RING-BLU
			Violet	AC-RING-VIO
	[6.829.1]		Grey	AC-RING-GRY
	9 9		White	AC-RING-WHT
	ø21.6		Red #1-24	AC-RING-RED-PK1
		Note: Ourte :: :::	Yellow #1-24	AC-RING-YEL-PK1
		Note: Custom number Identification optional. (Please contact us.)	Blue #1-24	AC-RING-BLU-PK1
			Red #1-48	AC-RING-RED-PK2
			Yellow #1-48	AC-RING-YEL-PK2
			Blue #1-48	AC-RING-BLU-PK2

Amphenol

ACCESSORIES

PRODUCT - FIGURE	DRAWING Dim	ensions in mm (inches)	DESCRIPTION	VARIATIONS	PART NUMBER
	49.5 [1.949"] 1.092 e		AC Metal Boot / Back- shell, Black Finish	Not Applicable	AC-NUT-METAL
	49.5 [1.949"] 7.020		AC Thermoplastic Boot / Backshell. Suitable for use with 8.5mm (0.33") O.D. cable.	Not Applicable	AC-NUT-J-BLK

NOTE: All accessories comply with EU RoHS 2 Directive 2011/65/EU

NOTE: Please do not refer to this printed catalogue as a colour reference. For exact colours contact your sales representative.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol:

AC-NUT-WHT 52500002-734 AC-GROMMET-WHT AC-NUT-J-BLK